

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S28	154	(power near (conductor or cable or wire)) and (nonmagnetic) and (suspension or suspended)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 10:40
S29	0	("2006/0000634").URPN.	USPAT	OR	ON	2007/03/11 10:36
S30	50	(power near (conductor or cable or wire)) and (nonmagnetic) and (stranded or strand) and (core near (wire or conductor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:04
S31	49	(nonmagnetic) and (stranded or strand) and (core near (wire or conductor)) and (suspension or suspended)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 10:48
S32	12	S31 not S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 10:45
S33	18	("2576128" "2604509" "3259675").PN. OR ("3634607").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 10:45
S34	87	(nonmagnetic) and (stranded or strand) and (core near (wire or conductor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 12:45
S35	0	("2005/0266240").URPN.	USPAT	OR	ON	2007/03/11 10:50
S36	5	(hanging or hanged) and (stainless near steel) and (cable or wire or conductor) and (tensile adj strength) and (stranded or strand) and (core adj (conductor or wire))	USPAT	OR	ON	2007/03/11 10:54
S37	6	("4032367" "5238508").PN. OR ("5716466").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 10:54

EAST Search History

S38	36	("2706376" "3883218" "3955878" "4039248" "4078853" "4093342" "4113349" "4117300" "4156104" "4158478" "4162400" "4166670" "4189705" "4239335" "4239336" "4359598" "4367917" "4389645").PN. OR ("4522464"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 10:55
S39	14	("2953627" "3679812" "3773109" "3784732" "4033800" "4077022" "4375313" "4522464" "5414217" "5495547" "5539849" "6343173" "6424768").PN. OR ("6960724"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 10:55
S40	4654	balls near ceramic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 12:45
S41	950	(cable or conductor or wire) and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 12:45
S42	457	(suspension or hanging or supporting or suspending) and S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:00
S43	78	(tensile adj strength) and S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:01
S44	31	S43 not S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:03

EAST Search History

S45	14	hook and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:03
S46	23	hook and S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:04
S47	50	(power near (conductor or cable or wire or cord)) and (nonmagnetic) and (stranded or strand) and (core near (wire or conductor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:21
S48	115	439/450.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:13
S49	115	439/450.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:13
S50	2	("1342787").URPN.	USPAT	OR	ON	2007/03/11 13:18
S51	0	(hanging near (lamp or light or lighting)) and (ceramic near ball)	USPAT	OR	ON	2007/03/11 13:19
S52	9	(hanging near (lamp or light or lighting)) and (ceramic)	USPAT	OR	ON	2007/03/11 13:20
S53	2916	("340"/\$.ccls. or "362"/\$.ccls.) and (ceramic)	USPAT	OR	ON	2007/03/11 13:21
S54	197	(power near (conductor or cable or wire or cord)) and S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:30

EAST Search History

S55	11	"6266553"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:31
S56	76	"66553"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:31
S57	13	"066553"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:32
S58	2	"62066553"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:39
S59	72	((armor or armored) near (wire or conductor)) and ball	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/11 13:39